

CUMULATIVE INDEX 1995

Volume 22

March	ANTEPARTUM AND GENERAL OBSTETRIC EMERGENCIES, pages 1-196
June	INTRAPARTUM AND POSTPARTUM OBSTETRIC EMERGENCIES, pages 197-389
September	HYSTEROSCOPY, pages 391-624
December	UTERINE FIBROIDS, pages 625-835

Note: Page numbers of article titles are in **boldface** type

- Abdominal pain, acute. See *Acute abdominal pain*.
- Abortion, and acute abdominal pain, 56-57
habitual, uterine fibroids with, 664
- Abruptio placentae, and acute abdominal pain, 57
and acute renal failure, in puerperal eclampsia, 328
motor vehicle accidents and, 82
- Abscesses, epidural, and major regional anesthesia, in pregnancy, 8
mastitis and, 361-362
- Acute abdominal pain, in pregnancy, 55-68
anatomy and physiology of, 55-56
gastrointestinal tract, 61-65
acute appendicitis, 64-65
acute cholecystitis and cholelithiasis, 63-64
Crohn's disease, 64
intestinal obstruction, 62-63
pancreatitis, 61-62
peptic ulcer disease, 62
liver diseases, 65-66
urinary tract, 59-61
acute cystitis, 59-60
pyelonephritis, 60-61
urolithiasis, 61
uterine and adnexal, 56-59
abortion and ectopic pregnancy, 56-57
abruptio placentae, 57
chorioamnionitis, 59
ovarian pathology, 59
preterm labor, 58
uterine fibroids, 57-58
- Acute fatty liver of pregnancy, and acute abdominal pain, 65
- Acute renal failure, puerperal eclampsia and, 328
- Adenomyosis, vs. uterine fibroids, 713, 716-719
- Adnexal masses, vs. uterine fibroids, 712-713
- Adnexal pathology, and acute abdominal pain, in pregnancy. See *Acute abdominal pain*.
- β -Adrenergic agents, for preterm labor, 202-204, 206
for uterine inversion, 271
- Advanced cardiac life support, for cardiac arrest, in pregnancy, 306-308
drug therapy during, 309-310, 312
- Air emboli, hysteroscopy and, 452
- Airway, maintenance of, for hypotension, related to hemorrhage, in pregnancy, 122-123
- Alcohol abuse, in pregnancy. See *Drug abuse*.
- Altered consciousness, in pregnancy, 13-18
common causes of, 15-16
marked loss of consciousness, 14-15
patient approach in, 16-17
pregnancy physiology and, 13-14
- Analgesia, in labor, in multiple gestation, 237-238
- Androgens, for uterine fibroids, 730
- Anesthesia, in labor, in multiple gestation, 237-238
with puerperal eclampsia, 324
in uterine inversion, 269-271

- Anesthetic emergencies, in pregnancy, 1-12
 general endotracheal anesthesia in, 3-4
 major regional anesthesia in, 4-11
 epidural abscesses, 8
 epidural hematomas, 8-9
 inversion of uterus, 7-8
 malignant hyperthermia, 10-11
 postdural puncture headache, 9-10
 retained placenta, 6-7
 vaginal side wall tears, 7
- Angina pectoris, in pregnancy, 31-32
- Angiographic embolization, for postpartum hemorrhage, 299-300
 for puerperal hematomas, 281
- Angiography, of pulmonary emboli, in pregnancy, 52
- Antibiotics, for endomyometritis, 360
 for hypotension, related to sepsis, in pregnancy, 105-107
 in preterm labor, 211
 prophylactic, to prevent uterine inversion, 272
- Antipsychotics, in pregnancy, 380
- Anxiety disorders, in pregnancy, 372-373
- Aortic dissection, in pregnancy, 34-35
- Appendicitis, and acute abdominal pain, in pregnancy, 64-65
- Argon lasers, in hysteroscopy, 439
- Argon-enhanced electrosurgery, in hysteroscopy, 431-432
- Arrhythmias, cardiac, in pregnancy, 26-30
- Arterial blood gases, in respiratory failure, in pregnancy, 43
- Arthralgia, and joint extremity pain, in pregnancy, 186-187
- Arthritis, and joint extremity pain, in pregnancy. *See Joint extremity pain.*
- Aspiration, of gastric contents, in pregnancy, 49-50
 general endotracheal anesthesia and, 3-4
- Aspirin, to prevent puerperal eclampsia, 333
- Assisted reproductive techniques, hysteroscopy in, 507-518
 as diagnostic procedure, 507-510
 as guide for transfer of gametes and embryos, 510-514
 new developments in, 514-516
- Asthma, in pregnancy, 44-47
- Atosiban, for preterm labor, 211
- Atrial fibrillation, in pregnancy, 28-29
- Atrial flutter, in pregnancy, 29
- Autoimmune diseases, and joint extremity pain, in pregnancy, 180-183
- Basic life support, for cardiac arrest, in pregnancy, 306-308
- Benign metastasizing leiomyomas, pathology of, 653-654
- Benzodiazepines, in pregnancy, 379
- Beta-adrenergic drugs, for asthma, in pregnancy, 46-47
- Bicarbonate, for diabetic ketoacidosis, in pregnancy, 152
 for hypotension, related to sepsis, in pregnancy, 105
- Bipolar needles, with myolysis, of uterine fibroids, 812-814
- Bizarre leiomyomas, pathology of, 644-645
- Bleeding, abnormal, hysteroscopy of, 601
 uterine, as contraindication to hysteroscopy, 447, 469
- Blood component therapy, for hypotension, related to hemorrhage, in pregnancy, 123-124
- Blood components, changes in, in pregnancy, 112-113
- Blood pressure, maintenance of, in pregnancy, 113
 measurement of, to diagnose hypertension, in pregnancy, 161-162
- Blood transfusion, for hypotension, related to hemorrhage, in pregnancy, 121-122
 for postpartum hemorrhage, 289-291
- Bradycardia, in pregnancy, 30
- Breast engorgement, and puerperal fever, 360-362
- Breathing, maintenance of, for hypotension, related to hemorrhage, in pregnancy, 122-123
- Breech first twins, in multiple gestation, 240, 241
- Brundin device, in hysteroscopic sterilization, 586-587
- Burns, in pregnancy, 85-86
- Bursitis, and joint extremity pain, in pregnancy, 187
- Buserelin, for uterine fibroids, 731, 732, 735
- Calcium channel-blocking agents, for chronic hypertension, with persistent severe preeclampsia, 353
 for hypertension, with puerperal eclampsia, 322
 for postpartum preeclampsia-eclampsia, 344-345
 for preterm labor, 210-211
- Camera systems, in hysteroscopy, 395
- Cancer, uterine, as contraindication to hysteroscopy, 446, 468
- Carbon dioxide, in hysteroscopy, 411-412
 complications of, 448
 preheated, in hysteroscopy, future of, 619

- Carbon dioxide lasers, in hysteroscopy, 437-439, 441
- Carcinoma, endometrial. See *Endometrial carcinoma*.
- Cardiac arrest, in pregnancy, 303-314
 basic life support and advanced cardiac life support for, 306-308
 drug therapy during, 309-310, 312
 cardiopulmonary resuscitation for, modifications of, 308-309
 fetal physiology in, 305
 maternal physiology in, 304-305
 perimortem cesarean delivery for, 312-313
- Cardiac emergencies, in pregnancy, 22-35
 acute myocardial infarction, 31-34
 aortic dissection, 34-35
 cardiac arrhythmias, 26-30
 cardiopulmonary resuscitation for, 30-31
 hypertensive crisis, 22-25
 pulmonary edema, 25-26
- Cardiac lesions, in pregnancy, 53
- Cardiomyopathies, dilated, in pregnancy, 53
- Cardiopulmonary arrest, in HELLP syndrome, 330
- Cardiopulmonary resuscitation, in pregnancy, 30-31, 306, 308-309
- Cardiorespiratory functions, support of, in puerperal eclampsia, 317
- Cardiovascular disease, as contraindication to hysteroscopy, 469
- Cardiovascular system, changes in, β -adrenergic agents and, for preterm labor, 204
- Cardiovascular system dysfunction, in hypotension, related to sepsis, in pregnancy, 100
- Carpal tunnel syndrome, and joint extremity pain, in pregnancy, 178
- Cellular leiomyomas, magnetic resonance imaging of, 693, 698
 pathology of, 643-644
- Cerebrovascular occlusive disease, and altered consciousness, in pregnancy, 14-15
- Cervix, trauma to, hysteroscopy and, 469-470
- Cesarean delivery, for fetal stress and distress, 228
 for HELLP syndrome, in postpartum preeclampsia-eclampsia, 346
 for preterm labor, 211
 for puerperal eclampsia, 323-324
 need for, in traumatic injuries, in pregnancy, 80-81
 perimortem, for cardiac arrest, 312-313
 previous, uterine scarring from, and postpartum hemorrhage, 286
- Chemical caustics, in hysteroscopic sterilization, 582-583
- Chest pain, in pregnancy, 19-22
- Cholecystitis, and acute abdominal pain, in pregnancy, 63-64
- Cholelithiasis, and acute abdominal pain, in pregnancy, 63-64
- Chorioamnionitis, and acute abdominal pain, in pregnancy, 59
- Chorion scope, in hysteroscopy, 401
- Circulating volume, reconstitution of, for hypotension, related to hemorrhage, in pregnancy, 120-121
- Coagulopathy, and postpartum hemorrhage, 287-288
 blood transfusion and, for postpartum hemorrhage, 290-291
- Cocaine abuse, in pregnancy. See *Drug abuse*.
- Colloid solutions, for hypotension, related to hemorrhage, in pregnancy, 120-121
- Color-flow Doppler, of uterine fibroids, during pregnancy, 802
- Complement, in hypotension, related to sepsis, in pregnancy, 97-98
- Compressive ultrasonography, of thrombophlebitis, in pregnancy, 178
- Computed tomography, of uterine fibroids, 661
- Convulsions, control of, in puerperal eclampsia, 317-320
 timing of, in HELLP syndrome, in relation to complications, 330-331
- Corticosteroids, for asthma, in pregnancy, 47
 for HELLP syndrome, in postpartum preeclampsia-eclampsia, 348
- Crohn's disease, and acute abdominal pain, in pregnancy, 64
- Cryocoagulation, in hysteroscopic sterilization, 585
- Crystalloid solutions, for hypotension, related to hemorrhage, in pregnancy, 120-121
 related to sepsis, in pregnancy, 103-104
- Culdotomy, laparoscopic, technique for, 773-777
- Curettage, for postpartum preeclampsia-eclampsia, 344-345
 postpartum, and intrauterine adhesions, 492-494
- Cystitis, and acute abdominal pain, in pregnancy, 59-60
- Danazol, for uterine fibroids, 730
- Deep venous thrombosis, in pregnancy, 50-53

- Depression, postpartum, 376-377
- Dextran 70, in hysteroscopy, 412-413
 complications of, 448-449
- Diabetic ketoacidosis, in pregnancy, 143-155
 diagnosis of, 147-148
 fetal effects of, 152-153
 insulin metabolism in, 144-145
 management of, 149-152
 bicarbonate in, 152
 fluid resuscitation in, 150-151
 insulin in, 151
 potassium in, 152
 pathophysiology of, 145
 predisposition to, 146-147
- Diazepam, in pregnancy, 16-17, 379
- Dilated cardiomyopathies, in pregnancy, 53
- Disorientation, in postpartum preeclampsia-eclampsia, 354
- Distention media delivery systems, in hysteroscopy, 391-393, 409-422
 complications of, 447-449
 delivery systems in, 415-418
 fluid in, 412
 fluid monitoring in, 418-419
 gas in, 411-412
 high viscosity fluid in, 412-413
 historical aspects of, 409-410
 low viscosity fluid in, 413-415
 principles of distention in, 410-411
- Diuretics, for chronic hypertension, with persistent severe preeclampsia, 353
 for hypertension, in pregnancy, 167-168
- Dobutamine, for hypotension, related to sepsis, in pregnancy, 104
- Domestic violence, in pregnancy, 86-87, 373-374
- Drug abuse, in pregnancy, 131-142
 alcohol in, 137-140
 clinical features of, 138-139
 fetal effects of, 140
 management of, 139
 pharmacology of, 137-138
 prevalence of, 138
 withdrawal symptoms in, 139-140
 cocaine in, 134-137
 clinical features of, 135-136
 fetal effects of, 137
 management of, 136
 pharmacology of, 134-135
 prevalence of, 135
 withdrawal symptoms in, 136-137
 infectious disease concerns in, 133
 multidiscipline approach to, 134
 screening for, 131-133
 and altered consciousness, 16
 and hypertension, 157-158
 postpartum. See *Postpartum preeclampsia-eclampsia*.
 puerperal. See *Puerperal eclampsia*.
- Ectopic pregnancy, and acute abdominal pain, 56-57
- Edema, pulmonary, in pregnancy, 25-26
- Electrical accidents, in pregnancy, 86
- Electrocardiogram, to assess chest pain, in pregnancy, 20-21
- Electrolyte solutions, in hysteroscopy, 413-414
- Electronic fetal monitoring. See *Fetal stress and distress*.
- Electrosurgery, in endometrial ablation, for menorrhagia, 567-570
 and hyponatremia, 569-570
 in hysteroscopy, 423-432
 argon-enhanced, 431-432
 bipolar systems in, 428-429
 clinical applications of, 429-430
 electrophysics of, 424
 generators in, 424-425
 types of current in, 425-426
 unipolar systems in, 426-428
 vs. lasers, 440-441
- Emboli, gas and air, hysteroscopy and, 452
 for submucous myomas, 748-749
 pulmonary, in pregnancy, 50-53
- Embolization, angiographic, for postpartum hemorrhage, 299-300
 for puerperal hematomas, 281
- Endometrial ablation, for uterine fibroids, vs. hysterectomy, 630, 632
 hysteroscopic, for menorrhagia, 559-572
 clinical experience with, 562-563
 complications of, 565-567
 electrosurgery in, 567-570
 and hyponatremia, 569-570
 hormonal therapy after, 563
 lasers in, 560-561
 preoperative preparation for, 561
 results of, 563-565
 with hysteroscopy, for submucous myomas, 751
 with myolysis, of uterine fibroids, 815
- Endometrial carcinoma, histologic
 classification of, 574-575
 hysteroscopy of, 573-579
 and dissemination of cancer cells, 577
 high-risk endometrial hyperplasia, 576-577
 low-risk endometrial hyperplasia, 576
 natural history of, 573-574
- Endometrial polyps, magnetic resonance imaging of, 683
- Endometritis, and puerperal fever, 358, 360
- Endothelin concentrations, elevated, in postpartum preeclampsia-eclampsia, 340-341
- Eclampsia, and acute abdominal pain, 65-66

- Epidural abscesses, and major regional anesthesia, in pregnancy, 8
- Epidural anesthesia, in labor, in multiple gestation, 237-238
with puerperal eclampsia, 324
- Epidural hematomas, and major regional anesthesia, in pregnancy, 8-9
- Epilepsy, and altered consciousness, in pregnancy, 15-16
- Episiotomy infection, and puerperal fever, 364-365
- Epithelioid leiomyomas, pathology of, 645-646
- Erythromycin, for pneumonia, in pregnancy, 49
- Estrogen replacement therapy, inhibition of, by uterine fibroids, 663
with GnRH analogues, for uterine fibroids, 817-818
- Factor XII, in hypotension, related to sepsis, in pregnancy, 97
- Fallopscopy, in assisted reproductive techniques, 514-516
- Fetal stress and distress, 215-233
defining heart rate patterns in, 217
diagnosis of, 217-225
etiology of, 216-217
management of, 225, 228-229
- Fetal-maternal hemorrhage, trauma and, 77
- Fibromyalgia, and joint extremity pain, in pregnancy, 186-187
- Fluid resuscitation, for diabetic ketoacidosis, in pregnancy, 150
- Fluid therapy, for puerperal eclampsia, 322-323
- Focal myometrial contractions, vs. uterine fibroids, 703, 707
- Focal neurologic signs, in postpartum preeclampsia-eclampsia, 354
- Fresh frozen plasma, for HELLP syndrome, in postpartum preeclampsia-eclampsia, 350, 352
for postpartum hemorrhage, 291
- Gadolinium-enhanced magnetic resonance imaging, of uterine fibroids, 693, 698
- Gas emboli, hysteroscopy and, 452
for submucous myomas, 748-749
- Gastric contents, aspiration of, in pregnancy, 49-50
general endotracheal anesthesia and, 3-4
- Gastrointestinal tract pathology, and acute abdominal pain, in pregnancy. See *Acute abdominal pain*.
- Gelfoam, in angiographic embolization, for postpartum hemorrhage, 200
- Gestational age, and route of delivery, in multiple gestation, 239-241
in preterm labor, 198
- Gestrinone, for uterine fibroids, 730
- Glycine, in hysteroscopy, 414
- GnRH analogues, for septate uterus, before hysteroscopic metroplasty, 478-479
for submucous myomas, before hysteroscopy, 744
for symptomatic leiomyomas, 808
before myolysis, 810
for uterine fibroids, 629-630, 730-732
before abdominal myomectomy, 782-783
before laparoscopic myomectomy, 760-761
monitoring of, 719-721
with estrogen replacement therapy, 817-818
with infertility, 796
for uterine smooth muscle tumors, 651
- Gonococcal arthritis, and joint extremity pain, in pregnancy, 184
- Goserelin, for uterine fibroids, 731, 733, 734, 735
- Hageman factor, in hypotension, related to sepsis, in pregnancy, 97
- Haloperidol, in pregnancy, 380
- Hamou device, in hysteroscopic sterilization, 586
- Haultain procedure, for uterine inversion, 268
- Headache, postdural puncture, in pregnancy, 9-10
- Heart rate, defining patterns of, in fetal stress and distress, 217
fetal, monitoring of, in multiple gestation, 236
- HELLP syndrome, and acute abdominal pain, in pregnancy, 65-66
in postpartum preeclampsia-eclampsia, 339-340, 345-346, 348, 350, 352
in puerperal eclampsia. See *Puerperal eclampsia*.
- Hematomas, epidural, and major regional anesthesia, in pregnancy, 8-9
hepatic, in HELLP syndrome, 328-329
puerperal. See *Puerperal hematomas*.
- Hemolytic uremic syndrome, vs. HELLP syndrome, in preeclampsia-eclampsia, 352
- Hemorrhage, and hypotension, in pregnancy. See *Hypotension*.
fetal-maternal, trauma and, in pregnancy, 77

- Hemorrhage (*Continued*)
 hysteroscopy and, 450–451
 intraperitoneal, motor vehicle accidents and, in pregnancy, 83–84
 intraventricular, indomethacin and, for preterm labor, 210
 major regional anesthesia and, in pregnancy, 5–6
 postpartum. *See Postpartum hemorrhage.*
 with uterine fibroids, magnetic resonance imaging of, 683
- Henoch-Schönlein purpura, and joint extremity pain, in pregnancy, 183–184
- Heparin, for pulmonary emboli, in pregnancy, 52–53
 for septic pelvic thrombophlebitis, 362
- Hexoprenaline, for preterm labor, 211
- Hip pain, in pregnancy, 178–179
- HIV infections, and joint extremity pain, in pregnancy, 184–185
- Hormonal therapy, after hysteroscopic endometrial ablation, for menorrhagia, 563
 after intrauterine adhesiolysis, 501
 for tubal obstruction, 537–538
- Hosseinian device, in hysteroscopic sterilization, 586
- Hydralazine, for hypertension, in pregnancy, 166–167
 in puerperal eclampsia, 320, 322
- Hydrochlorothiazide, for hypertension, in pregnancy, 167–168
- Hyperemesis gravidarum, in pregnancy, 374–375
- Hypertension, control of, in puerperal eclampsia, 320–322
 in pregnancy, 157–171
 chronic, 158
 with persistent severe preeclampsia, 353
 with superimposed preeclampsia, 159
 diagnosis and management of, 161–169
 antepartum, 161–168
 intrapartum, 168
 postpartum, 169
 gestational, 159
 low- vs. high-risk, 165–166
 pathophysiology of, 159–161
 preeclampsia/eclampsia and, 157–158
 recurrence risk of, 169
- Hypertensive crisis, in pregnancy, 22–25
- Hyperthermia, interstitial, myoma coagulation by, 814
 malignant, in pregnancy, 10–11
- Hyperthyroidism, and joint extremity pain, in pregnancy, 186
- Hyponatremia, after electrosurgical endometrial ablation, for menorrhagia, 569–570
- Hypotension, related to hemorrhage, in pregnancy, 111–129
 etiology of, 118–120
 maintenance of blood pressure and, 113
 management of, 122–127
 blood transfusion in, 121–122
 REACT approach to, 122–127
 reconstitution of circulating volume in, 120–121
 pathophysiology of, 115–118
 plasma volume and blood component changes in, 112–113
 preparation for blood loss during delivery and, 113–115
 related to sepsis, in pregnancy, 91–109
 clinical features of, 101–103
 diagnosis of, 101–103
 etiology of, 92–93
 management of, 103–107
 future trends in, 107–108
 microbiology of, 93
 organ system dysfunction in, 99–101
 pathophysiology of, 93–98
 complement in, 97–98
 factor XII in, 97
 interleukins in, 96, 97
 nitric oxide in, 96–97
 tumor necrosis factor in, 95–96
 tissue oxygenation derangement in, 98–99
- Hypothyroidism, and joint extremity pain, in pregnancy, 186
- Hyskon, in hysteroscopy, 412–413
 complications of, 448–449
- Hysterectomy, for symptomatic leiomyomas, 808–809
 for uterine fibroids, demographics of, 625–628
 vaginal vs. abdominal, 630
 vs. endometrial ablation, 630, 632
- Hysteroformers, in office hysteroscopy, 462
- Hysteroformers, of uterine fibroids, 661
 vs. hysteroscopy. *See Hysteroscopy.*
- Hysterosalpingography, in infertility, 601
 of intrauterine adhesions, 496
 of submucous myomas, 740
- Hysteroscopic myomectomy, for uterine fibroids, with infertility, 796
- Hysteroscopy, complications of, 447–452
 from distending media, 447–449
 from tubal cannulation, 451
 gas and air emboli, 452
 hemorrhage, 450–451
 infections, 451
 mortality, 452
 uterine perforation, 450
 contraindications to, 445–447
 infections, 445–446
 perforated uterus, 447

- pregnancy, 446–447
 uterine bleeding, 447
 uterine cancer, 446
- documentation in, 605–616
 connecting components in, 613–616
 electrical safety in, 616
 electronic storage in, 613
 image quality in, 610–611
 35mm photography in, 605–606
 still printers in, 613
 video recorders in, 611–612
 videophotography in, 607–609
- future of, 617–619
 endoscopes and accessory instruments
 in, 619
 preheated carbon dioxide in, 619
 thermal balloon coagulation in, 618–
 619
 three-dimensional hysteroscopy, 618
 vital stains in, 617–618
- in assisted reproductive techniques. See
 Assisted reproductive techniques.
- in endometrial ablation. See *Endometrial
 ablation.*
- in metroplasty, for septate uterus. See
 Metroplasty.
- in myomectomy. See *Myomectomy.*
- in office setting, 457–471
 advantages of, 458–459
 complications of, 465–467, 469–470
 contraindications to, 468–469
 indications for, 459
 instrumentation for, 460–463
 hysteroflatators, 462
 hysteroscope, 460–461
 video monitors, 462–463
- in sterilization. See *Sterilization.*
- in tubal cannulation. See *Tubal cannula-
 tion.*
- instrumentation in, 391–408
 ancillary, 403–405
 camera systems, 395
 distention media delivery systems. See
 Distention media delivery systems.
 hysteroscopes, 397–402
 all-purpose, 399–401
 operative, 402
 pure diagnostic, 401
 hysteroscopic sheaths, 402–403
 light cables, 394–395
 light delivery systems, 393–394
 resectoscopes, 405–406
 viewing systems, 395–396
- of endometrial carcinoma. See *Endome-
 trial carcinoma.*
- of intrauterine adhesions. See *Intrauter-
 ine adhesions.*
- of submucous myomas. See *Submucous
 myomas.*
- of uterine fibroids, 661–662
- power sources in, 423–443
 electrosurgery. See *Electrosurgery.*
 lasers. See *Lasers.*
- vs. hystero-graphy, 591–603
 advantages of hystero-graphy, 592–593
 advantages of hysteroscopy, 593–595
 diagnostic accuracy of, 601
 hystero-graphic approach, 592
 hysteroscopic approach, 593
 indications for, 601–602
- Hysterotomy, in intrauterine adhesiolysis,
 500
- Indomethacin, for preterm labor, 208–210
- Infections, episiotomy, and puerperal
 fever, 364–365
 pelvic, as contraindication to hysteros-
 copy, 445–446, 468
 hysteroscopy and, 451, 470
- Infectious arthritis, and joint extremity
 pain, in pregnancy, 184–185
- Infertility, hysterosalpingography in, 601
- myomas and, 794–795
 uterine fibroids and, 664, 791–799
 etiology of, 792
 patient evaluation for, 795
 pregnancy wastage in, 793–794
 symptoms of, 792–793
 treatment of, 795–797
- Insulin, for diabetic ketoacidosis, in
 pregnancy, 151
 metabolism of, in diabetic ketoacidosis,
 in pregnancy, 144–145
- Interleukins, in hypotension, related to
 sepsis, in pregnancy, 96, 97
- Interstitial hyperthermia, myoma
 coagulation by, 814
- Intestinal obstruction, and acute
 abdominal pain, in pregnancy, 62–63
- Intracranial pressure, increased, in
 puerperal eclampsia, 326–327
- Intraoperative hemorrhage, motor vehicle
 accidents and, in pregnancy, 83–84
- Intrauterine adhesions, diagnosis of,
 495–497
 etiology of, 492–494
 hystero-graphy of, 602
 hysteroscopy of, 491–505
 postoperative care for, 500–501
 results of, 501–502
 technique for, 497–500
 natural history of, 492
 pathology of, 491
- Intravascular volume, restoration of, for
 postpartum hemorrhage, 289
- Intravenous fluids, during advanced
 cardiac life support, for cardiac arrest,
 in pregnancy, 309

- Intravenous fluids (*Continued*)
 for hypotension, related to hemorrhage,
 in pregnancy, 123–124
- Intravenous leiomyomatosis, pathology of,
 652–653
- Intraventricular hemorrhage, indomethacin
 and, for preterm labor, 210
- Intubation stress, general endotracheal
 anesthesia and, in pregnancy, 4
- Isoproterenol, for hypotension, related to
 sepsis, in pregnancy, 104–105
- Joint extremity pain, in pregnancy,
 173–190
 arthralgia/myalgia, 186–187
 arthritis associated with HIV
 infections, 184–185
 bursitis, 187
 carpal tunnel syndrome, 178
 gonococcal arthritis, 184
 Henoch-Schönlein purpura, 183–184
 hip pain, 178–179
 immunologic studies of, 176
 juvenile arthritis, 181
 laboratory studies of, 175–176
 nongonococcal acute bacterial
 arthritis, 184
 patient history of, 174
 physical examination for, 174–175
 polyarteritis nodosum, 183
 progressive systemic sclerosis, 182–183
 rheumatoid arthritis, 180–181
 symphysis pubis pain, 179–180
 synovial fluid analysis in, 176
 systemic lupus erythematosus,
 181–182
 thrombophlebitis, 177–178
 thyroid disorders, 186
 tuberculosis, 185
 viral arthritis, 185
- Juvenile arthritis, and joint extremity pain,
 in pregnancy, 181
- KTP-532 lasers, in hysteroscopy, 439
- Labetalol, for hypertension, in pregnancy,
 167
 in puerperal eclampsia, 320, 322
- Labor, disorders of, and shoulder dystocia,
 249–250
 induction of, for puerperal eclampsia,
 324
 in multiple gestation, 237
 preterm. *See Preterm labor.*
- Laboratory markers, for hypertension, in
 pregnancy, 162–164
- Lactated Ringer's solution, in
 hysteroscopy, 413–414
- Laparoscopic coagulation, of uterine
 fibroids. *See Myolysis.*
- Laparoscopic culdotomy, technique for,
 773–777
- Laparoscopy, of septate uterus, 475–476
- Lasers, in endometrial ablation, for
 menorrhagia, 560–561
 in hysteroscopic sterilization, 585
 in hysteroscopy, 432–441
 components of, 435–437
 delivery systems in, 437–441
 physical properties of, 433–434
 power density of, 434–435
 tissue effects of, 435
 vs. electrosurgery, 440–441
 in intrauterine adhesiolysis, 500
- Lasix, for hypertension, in pregnancy,
 167–168
- Leiomyomas. *See Uterine fibroids; Uterine
 smooth muscle tumors.*
- Leiomyosarcomas, magnetic resonance
 imaging of, vs. ultrasonography, 721
 pathology of, 646–649
 risk of, after myolysis, of uterine fi-
 broids, 816
- Leuprolide, for uterine fibroids, 731–735
- Light cables, in hysteroscopy, 394–395
- Light delivery systems, in hysteroscopy,
 393–394
- Linear evverting catheter system, in
 hysteroscopic tubal cannulation,
 532–533
- Lipoleiomyomas, clinical features of,
 667–668
 magnetic resonance imaging of, 683, 691
- Lithium, in pregnancy, 379
- Liver, hematomas of, in HELLP syndrome,
 328–329
- Liver diseases, and acute abdominal pain,
 in pregnancy, 65–66
- Lower genital tract lacerations, and
 postpartum hemorrhage, 286–287
- Lymphangiomyomatosis, pathology of,
 652–653
- Magnesium sulfate, for convulsions, in
 puerperal eclampsia, 317–320
 for preterm labor, 206–208
 for puerperal eclampsia, fetal levels of,
 324
 for uterine inversion, 271
 to prevent postpartum preeclampsia-
 eclampsia, 343–344
- Magnetic resonance imaging, of septate
 uterus, 476

- of uterine fibroids, 661, 675–698
 - cellular leiomyomas, 693, 698
 - cost analysis of, 691, 693
 - endometrial polyps, 683
 - gadolinium-enhanced, 693, 698
 - hemorrhagic, 683
 - lipoleiomyomas, 683, 691
 - mucinous cystic degeneration, 683
 - patient preparation for, 677–678
 - prolapsing leiomyomas, 683
 - specialized coils in, 677
 - submucosal fibroids, 679, 683
 - submucous myomas, 740
 - vs. ultrasonography, 698–721
 - in pregnancy, 703, 707, 712
 - vs. focal myometrial contractions, 703, 707
 - vs. ovarian neoplasms, 707
 - leiomyosarcomas, 721
 - under GnRH analogue treatment, 719–721
 - vs. adenomyosis, 713, 716–719
 - vs. adnexal masses, 712–713
- Malignant hyperthermia, in pregnancy, 10–11
- Manic-depressive illness, in pregnancy, 371–372
- Mannitol, in hysteroscopy, 415
- Marfan's syndrome, and aortic dissection, in pregnancy, 34–35
- Mastitis, and puerperal fever, 360–362
- Mazzanti technique, for shoulder dystocia, 250
- McRoberts maneuver, for shoulder dystocia, 250, 252
- Medroxyprogesterone acetate, after hysteroscopic endometrial ablation, for menorrhagia, 563
- Menorrhagia, endometrial ablation for. *See* *Endometrial ablation*.
 - uterine fibroids with, 663–664
- Menstrual pattern, and intrauterine adhesions, 494–495
- Metabolism, changes in, β -adrenergic agents and, for preterm labor, 204
 - support of, in puerperal eclampsia, 317
- Methyl cyanoacrylate, in hysteroscopic sterilization, 584
- Methyldopa, for hypertension, in pregnancy, 166
- Methylergonovine, for postpartum hemorrhage, 288–289
- Metroplasty, hysteroscopic, for septate uterus, 473–489
 - complications of, 485, 487
 - indications for, 476–477
 - postoperative care for, 480–482
 - preoperative preparation for, 477–479
 - results of, 482, 485
 - technique for, 479–480
- Mifepristone, for uterine fibroids, 729–730
- Mitotically active leiomyomas, pathology of, 642–643
- Mitral stenosis, in pregnancy, 25–26, 53
- Mood disorders, in pregnancy, 371–372
- Morphine sulfate, during advanced cardiac life support, for cardiac arrest, in pregnancy, 309–310
- Motor vehicle accidents, and trauma, in pregnancy, 81–84
- Mucinous cystic degeneration, magnetic resonance imaging of, 683
- Multiple gestation, 235–246
 - delivery in, 238–243
 - planning route for, 239–241
 - second twin vaginal delivery options in, 241–242
 - time interval between delivery of twins in, 243
 - fetal heart rate monitoring in, 236
 - labor in, 236–237
 - analgesia and anesthesia in, 237–238
- Myalgia, and joint extremity pain, in pregnancy, 186–187
- Myocardial infarction, in pregnancy, 31–34
- Myolysis, of uterine fibroids, 629, 807–819
 - adhesion formation in, 815–816
 - alternatives to, 808–809
 - future directions in, 817–818
 - GnRH analogues before, 810
 - patient selection for, 809–810
 - risk of leiomyosarcoma in, 816
 - technique for, 810–814
 - with bipolar needles, 812–814
 - with Nd:YAG laser, 811–812
 - with endometrial ablation, 815
 - with interstitial hyperthermia, 814
 - with myomectomy, 814–815
- Myomas, and infertility, 794–795
 - during pregnancy. *See* *Pregnancy*.
 - submucous. *See* *Submucous myomas*.
- Myomectomy, abdominal, for symptomatic leiomyomas, 808
 - for uterine fibroids, 627, 781–789
 - adhesion prevention in, 784–787
 - incision options in, 785–786
 - irrigation and tissue handling in, 786
 - postoperative, 786–787
 - suture technique in, 786
 - hemostasis in, 784
 - incisions in, 783–784
 - postoperative care for, 787
 - preoperative preparation for, 782–783
 - with infertility, 797
 - hysteroscopic, 541–558
 - complications of, 557
 - contraindications to, 546

Myomectomy (*Continued*)

- historical aspects of, 541-542
- indications for, 543-544, 546
- instrumentation for, 547-551
- preoperative evaluation for, 546-547
- results of, 557-558
- techniques for, 551-557
- laparoscopic, for uterine fibroids, 629, 757-780
 - alternatives to, 760-761
 - complications of, 777-778
 - culdotomy incisions in, 773-777
 - equipment for, 762-763
 - hemostasis in, 761-762
 - incisions in, 764-765
 - indications for, 757-759
 - patient positioning for, 764
 - postoperative care for, 777
 - preoperative preparation for, 763-764
 - results of, 778-779
 - technique for, 765-770
 - uterine repair in, 770-773
 - with infertility, 796-797
 - with myolysis, 814-815
- Myxoid leiomyosarcomas, pathology of, 647, 649

- Nd:YAG lasers, in endometrial ablation, for menorrhagia, 560-561
 - in hysteroscopic sterilization, 585
 - in hysteroscopy, 439-440
 - in intrauterine adhesiolysis, 500
 - with myolysis, of uterine fibroids, 811-812
- Necrotizing fasciitis, and puerperal fever, 364-365
- Neurologic complications, of puerperal eclampsia, 326-327
- Nifedipine, for chronic hypertension, with persistent severe preeclampsia, 353
 - for hypertension, in pregnancy, 24, 167
 - for postpartum preeclampsia-eclampsia, 344-345
- Nimodipine, for hypertension, in puerperal eclampsia, 322
- Nitric oxide, in hypotension, related to sepsis, in pregnancy, 96-97
- Nonelectrolyte solutions, in hysteroscopy, 414-415
- Nongonococcal acute bacterial arthritis, and joint extremity pain, in pregnancy, 184
- Nonsteroidal anti-inflammatory drugs, for uterine fibroids, 729

- altered consciousness. *See* *Altered consciousness*.
- anesthetic. *See* *Anesthetic emergencies*.
- cardiac. *See* *Cardiac emergencies*.
- cardiac arrest. *See* *Cardiac arrest*.
- chest pain, 19-22
- diabetic ketoacidosis. *See* *Diabetic ketoacidosis*.
- drug abuse. *See* *Drug abuse*.
- fetal stress and distress. *See* *Fetal stress and distress*.
- hypertension. *See* *Hypertension*.
- hypotension. *See* *Hypotension*.
- joint extremity pain. *See* *Joint extremity pain*.
- multiple gestation. *See* *Multiple gestation*.
- postpartum hemorrhage. *See* *Postpartum hemorrhage*.
- postpartum preeclampsia-eclampsia. *See* *Postpartum preeclampsia-eclampsia*.
- preterm labor. *See* *Preterm labor*.
- psychiatric. *See* *Psychiatric emergencies*.
- puerperal eclampsia. *See* *Puerperal eclampsia*.
- puerperal fever. *See* *Puerperal fever*.
- puerperal hematomas. *See* *Puerperal hematomas*.
- pulmonary. *See* *Pulmonary emergencies*.
- shoulder dystocia. *See* *Shoulder dystocia*.
- traumatic. *See* *Trauma*.
- uterine inversion. *See* *Uterine inversion*.
- Ovarian neoplasms, vs. uterine fibroids, 707
- Ovarian pathology, and acute abdominal pain, in pregnancy, 59
- Ovaries, inaccessible, with uterine fibroids, 663
- Oxygen, during advanced cardiac life support, for cardiac arrest, in pregnancy, 309
- Oxytocin, for postpartum hemorrhage, 288
 - for puerperal eclampsia, 324
 - for uterine inversion, 271-272

- Pancreatitis, and acute abdominal pain, in pregnancy, 61-62
- Panic attacks, in pregnancy, 373
- Paroxysmal supraventricular tachycardia, in pregnancy, 27-28
- Pelvic examination, for uterine fibroids, 661
- Pelvic hematomas, and postpartum hemorrhage, 287
- Pelvic infections, as contraindication to hysteroscopy, 445-446, 468
 - hysteroscopy and, 451, 470
- Pelvic pressure and pain, uterine fibroids with, 664

- Pelvic tuberculosis, and intrauterine adhesions, 495
- Pelvic vessels, ligation of, for postpartum hemorrhage, 295-297, 299
for septic pelvic thrombophlebitis, 362, 364
- Penetrating wounds, in pregnancy, 84-85
- Penicillin G, for pneumonia, in pregnancy, 49
- Peptic ulcer disease, and acute abdominal pain, in pregnancy, 62
- Percutaneous transluminal coronary angioplasty, for myocardial infarction, in pregnancy, 33
- Peritoneal leiomyomatosis, pathology of, 653
- Phenobarbital, for puerperal eclampsia, 324
- Phenytoin, for convulsions, in puerperal eclampsia, 319-320
- Photography, 35 mm, in hysteroscopy, 605-606
- Physical abuse, in pregnancy, 86-87
- Placenta, retained, and postpartum hemorrhage, 6-7, 285
- Placental function, and fetal stress and distress, 216
- Placentation, abnormal, and postpartum hemorrhage, 285-286
- Plasma exchange, for HELLP syndrome, in postpartum preeclampsia-eclampsia, 350, 352
- Plasma volume, changes in, in pregnancy, 112-113
- Platelet transfusion therapy, for postpartum hemorrhage, 291
- Plexiform tumorlets, pathology of, 646
- Pneumonia, in pregnancy, 47-49
- Polyarteritis nodosum, and joint extremity pain, in pregnancy, 183
- Polyps, endometrial, magnetic resonance imaging of, 683
- Postdural puncture headache, in pregnancy, 9-10
- Postpartum curettage, and intrauterine adhesions, 492-494
- Postpartum eclampsia, management of, 331-332
- Postpartum hemorrhage, 283-302
classification of, 289-290
definition of, 284
etiology of, 284-288
abnormal placentation, 285-286
coagulopathy, 287-288
lower genital tract lacerations, 286-287
retained placenta, 285
uterine atony, 285
uterine lacerations and rupture, 296
incidence of, 284
management of, 288-300
- angiographic embolization in, 299-300
mechanical techniques and uterine packing in, 292-295
medical, 288-292
surgical ligation of pelvic vessels in, 295-297, 299
- Postpartum preeclampsia-eclampsia, complicated, 337-356
chronic hypertension in, 353
clinical features of, 341-343
confusing/incomplete/atypical HELLP syndrome in, 352
diagnosis of, 339
disorientation and focal neurologic signs in, 354
etiology of, 338
HELLP syndrome in, 339-340, 345-346, 348, 350, 352
late postpartum, 353-354
management of, 343-345
pathophysiology of, 340-341
- Potassium, for diabetic ketoacidosis, in pregnancy, 152
- Preeclampsia, and acute abdominal pain, 65-66
and hypertension, 157-158, 159
postpartum. See *Postpartum preeclampsia-eclampsia*.
- Pregnancy, after hysteroscopic endometrial ablation, for menorrhagia, 567
after intrauterine adhesiolysis, 502
as contraindication to hysteroscopy, 446-447, 469
ectopic, and acute abdominal pain, 56-57
emergencies in. See *Obstetric emergencies*.
uterine fibroids during, 703, 707, 712, 801-805
and acute abdominal pain, 57-58
changes in myomas, 802-803
complications of, 803-804
diagnosis of, 801-802
surgical management of, 804
- Preterm labor, 197-214
and acute abdominal pain, 58
antenatal preparations for, 198
antibiotics in, 211
cesarean delivery, 211
diagnosis of, 198-200
infant survival in, 200-201
maternal transport in, 200
motor vehicle accidents and, 83
tocolytic therapy for, 199-200, 201-211
 β -adrenergic agents in, 202-204, 206
calcium channel-blocking agents in, 210-211
magnesium sulfate in, 206-208
prostaglandins in, 208-210
- Progestins, for uterine fibroids, 729-730
- Progressive systemic sclerosis, and joint extremity pain, in pregnancy, 182-183

- Prolapsing leiomyomas, magnetic resonance imaging of, 683
- Propranolol, for thyroid storm, 365-366
- Propylthiouracil, for thyroid storm, 365-366
- Prostaglandins, for postpartum hemorrhage, 289
- for preterm labor, 208-210
- for uterine inversion, 272
- Prostanoid ratio, in postpartum preeclampsia-eclampsia, 340
- Psychiatric emergencies, in pregnancy, 369-383
- coexistent, 369-373
- anxiety disorders, 372-373
- mood disorders, 371-372
- psychoses, 369-371
- domestic violence, 373-374
- hormonal changes and, 374-375
- hyperemesis gravidarum, 374-375
- ptyalism, 374
- postpartum, 375-378
- maternity depression, 376
- postpartum depression, 376-377
- postpartum psychoses, 377-378
- psychotropic drug therapy for, 378-380
- antidepressants, 379-380
- antipsychotics, 380
- benzodiazepines, 379
- lithium, 379
- Psychoses, in pregnancy, 369-371
- postpartum, 377-378
- Psychotropic drugs, in pregnancy. See *Psychiatric emergencies.*
- Ptyalism, in pregnancy, 374
- Puerperal eclampsia, 315-335
- cardiorespiratory and metabolic support for, 317
- classification of, 315
- clinical course of, 316
- complications of, 325-328
- acute renal failure, 328
- HELLP syndrome, 328-331
- cardiopulmonary arrest in, 330
- liver hematoma in, 328-329
- timing of convulsions in, 330-331
- pulmonary edema, 327-328
- severe neurologic features of, 326-327
- control of convulsions in, 317-320
- control of hypertension in, 320-322
- counseling for, 332-333
- delivery for, 323-325
- fluid therapy for, 322-323
- laboratory studies in, 325
- postpartum, 331-332
- recurrence of, 332-333
- Puerperal fever, 357-367
- diagnosis of, 357-358
- etiology of, 358, 360-362
- breast engorgement/mastitis, 360-362
- endometritis, 358, 360
- necrotizing fasciitis/episiotomy infection, 364-365
- septic pelvic thrombophlebitis, 362, 364
- thyroid storm, 365-366
- Puerperal hematomas, 275-282
- and postpartum hemorrhage, 287
- classification of, 276-277
- diagnosis of, 277-278
- etiology of, 276
- incidence of, 275-276
- management of, 278-281
- risk factors for, 277
- Pulmonary artery catheterization, for hypotension, related to sepsis, in pregnancy, 104
- Pulmonary edema, β -adrenergic agents and, for preterm labor, 204
- in pregnancy, 25-26
- puerperal eclampsia and, 327-328
- Pulmonary emboli, in pregnancy, 50-53
- Pulmonary emergencies, in pregnancy, 39-54
- aspiration of gastric contents, 3-4, 49-50
- asthma, 44-47
- cardiac lesions, 53
- embolic phenomena, 50-53
- ICU admission for, 44
- pneumonia, 47-49
- pulmonary mechanics in, 39-42
- respiratory failure, 42-44
- Pulmonary system dysfunction, in hypotension, related to sepsis, in pregnancy, 100-101
- Pyelonephritis, and acute abdominal pain, in pregnancy, 60-61
- Radiation, fetal exposure to, in diagnostic studies, 76
- REACT approach, to hypotension, related to hemorrhage, in pregnancy, 122-127
- Reiter's syndrome, and joint extremity pain, in pregnancy, 184-185
- Renal failure, puerperal eclampsia and, 328
- Renal system dysfunction, in hypotension, related to sepsis, in pregnancy, 101
- Resectoscopes, in hysteroscopy, 405-406
- Resectoscopic myomectomy, for uterine fibroids, with infertility, 796
- Respiratory failure, in pregnancy, 42-44
- Retained placenta, and postpartum hemorrhage, 6-7, 285
- Rh immune globulin, need for, in pregnancy, 77-78

- Rheumatoid arthritis, and joint extremity pain, in pregnancy, 180-181
- Ritodrine, for preterm labor, 202-203, 206
- Rollerball electrocoagulation, for menorrhagia, technique for, 568-569
- RU486, for uterine fibroids, 729-730
- Rubin technique, for shoulder dystocia, 250
- Rupture of membranes, in preterm labor, 198-199
- Schizophrenia, in pregnancy, 369-371 postpartum, 377-378
- Sepsis, and hypotension, in pregnancy. *See Hypotension.*
- Septate uterus, diagnosis of, 475-476 hysteroscopic metroplasty for. *See Metroplasty.*
- Septic pelvic thrombophlebitis, and puerperal fever, 362, 364
- Shoulder dystocia, 247-259 complications of, 256-257 diagnosis of, 249-250 etiology of, 248 management of, 250-255
- Sodium bicarbonate, during advanced cardiac life support, for cardiac arrest, in pregnancy, 310, 312
- Sodium chloride, in hysteroscopy, 413-414
- Sodium nitroprusside, for hypertension, in pregnancy, 167
- Sonohysterography, of uterine fibroids, 670, 673-674
- Sorbitol, in hysteroscopy, 414
- Sterilization, hysteroscopic, 581-589 available methods for, 581-582 complications of, 587-588 destructive methods in, 582-586 chemical caustics, 582-583 thermally induced, 584-586 tissue adhesives, 584 future of, 588 occlusive methods in, 586-587
- Still printers, in hysteroscopy, 613
- Submucosal uterine fibroids, magnetic resonance imaging of, 679, 683
- Submucous myomas, hysteroscopy of, 739-755 diagnostic, 739-740 therapeutic, 740-753 anesthesia and operating room considerations in, 745 complications of, 752-753 indications and contraindications for, 740-741, 743 preoperative preparation for, 743-745 results of, 750-751 technique for, 745-750
- Suicide, in pregnancy, 372
- Supraventor hematomas, and postpartum hemorrhage, 287
- Symphysis pubis pain, in pregnancy, 179-180
- Synovial fluid analysis, in joint extremity pain, in pregnancy, 176
- Systemic lupus erythematosus, and joint extremity pain, in pregnancy, 181-182
- Tachycardia, in pregnancy, 27-30
- Terbutaline, for preterm labor, 204, 206
- Theophylline, for asthma, in pregnancy, 47
- Thermal balloon coagulation, in hysteroscopy, future of, 618-619
- Three-dimensional hysteroscopy, future of, 618
- Thrombocytopenic purpura, vs. HELLP syndrome, in preeclampsia-eclampsia, 352
- Thrombophlebitis, and joint extremity pain, in pregnancy, 177-178 septic pelvic, and puerperal fever, 362, 364
- Thyroid disorders, and joint extremity pain, in pregnancy, 186
- Thyroid storm, and puerperal fever, 365-366
- Tissue adhesives, in hysteroscopic sterilization, 584
- Tissue oxygenation, derangement of, in hypotension, related to sepsis, in pregnancy, 98-99
- Tissue plasminogen activator, for myocardial infarction, in pregnancy, 33
- Tocolytic therapy, for preterm labor. *See Preterm labor.* for uterine inversion, 271
- Tocolytic-induced pulmonary edema, in pregnancy, 25
- Transcervical resection of endometrium, for menorrhagia, technique for, 568-569
- Trauma, in pregnancy, 69-90 abuse and domestic violence, 86-87 and cesarean delivery, 80 and perimortem cesarean delivery, 80-81 burns, 85-86 classification and significance of, 70-72 electrical accidents, 86 fetal assessment in, 78 fetal injury in, 79-80 in-hospital care for, 74-78 diagnostic studies in, 75-76

- Trauma (*Continued*)
 initial therapy in, 74-75
 laboratory studies in, 77-78
 management of, caveats in, 72-73
 motor vehicle accidents, 81-84
 penetrating wounds, 84-85
 physiology of pregnancy in, 70
 prehospital care for, 73-74
 self-inflicted, 87-88
 to cervix, hysteroscopy and, 469-470
- Tricyclic antidepressants, in pregnancy, 379-380
 for mood disorders, 372
- Trophoblastic tissue, deportation of, in postpartum preeclampsia-eclampsia, 341
- Tubal cannulation, fluoroscopic, 526
 hysteroscopic, 519-540
 anatomy in, 520
 complications of, 537
 pathology of, 522-523
 physiology in, 520-522
 preoperative evaluation for, 523
 technique for, 528-529, 531-533, 535
 linear everting catheter in, 532-533
 vs. other techniques, 535-537
 vs. pharmacologic treatment, 537-538
- Tuberculosis, and joint extremity pain, in pregnancy, 185
 pelvic, and intrauterine adhesions, 495
- Tumor necrosis factor, in hypotension, related to sepsis, in pregnancy, 95-96
- Twins, delivery of. See *Multiple gestation*.
- Ultrasonography, compressive, of thrombophlebitis, in pregnancy, 178
 of intrauterine adhesions, 496
 of septate uterus, 476
 of submucous myomas, vs. hysteroscopy, 739-740
 of uterine fibroids, 661, 668-675
 vs. magnetic resonance imaging. See *Magnetic resonance imaging*.
 to guide transfer of gametes and embryos, in assisted reproductive techniques, 511-512
 to guide tubal cannulation, 536-537
- Ultrasonohysterography, in office setting, 458
- Umbilical cord, compression of, and fetal stress and distress, 216
- Urinary tract pathology, and acute abdominal pain, in pregnancy. See *Acute abdominal pain*.
- Urolithiasis, and acute abdominal pain, in pregnancy, 61
- Uterine abnormalities, hystero-graphy of, 595-596, 597-599
 hysteroscopy of, 596-597
 Uterine atony, and postpartum hemorrhage, 285
 Uterine cancer, as contraindication to hysteroscopy, 446, 468
 Uterine fibroids. See also *Uterine smooth muscle tumors*.
 abdominal myomectomy for. See *Myomectomy*.
 and infertility. See *Infertility*.
 diagnosis and treatment of, 659-665
 diagnostic tools, 660-662
 indications for treatment, 662-665
 compromise of adjacent organs, 664-665
 facilitation of estrogen replacement therapy, 663
 inaccessible ovaries, 663
 infertility or habitual abortion, 664
 menorrhagia, 663-664
 pelvic pressure or pain, 664
 rapid change in size, 662
 uterine size, 662-663
 signs and symptoms, 659-660
 during pregnancy. See *Pregnancy*.
 laparoscopic myomectomy for. See *Myomectomy*.
 magnetic resonance imaging of. See *Magnetic resonance imaging*.
 medical and socioeconomic impact of, 625-636
 demographics of hysterectomies, 625-628
 myomectomy, 627
 new management interventions, 628-632
 credentialing for, 628-629
 GnRH analogues. See *GnRH analogues*.
 hysterectomy vs. endometrial ablation, 630, 632
 laparoscopic myomectomy. See *Myomectomy*.
 myolysis. See *Myolysis*.
 vaginal vs. abdominal hysterectomy, 630
 medical management of, 727-738
 add-back therapy in, 733-734
 androgens in, 730
 biologic basis of, 728
 complications of, 732-733
 expectant, 728-729
 GnRH analogues in, 730-732
 preoperative, 734-735
 progestins in, 729-730
 myolysis of. See *Myolysis*.
 sonohysterography of, 670, 673-674
 submucous myomas. See *Submucous myomas*.
 ultrasonography of, 668-675

- Uterine inversion, 261–274
 classification of, 262
 diagnosis of, 264–265
 etiology of, 263–264
 historical aspects of, 261–262
 incidence of, 263
 management of, 265–269
 anesthesia in, 269–271
 antibiotic prophylaxis in, 272
 uterotonic agents in, 271–272
 recurrence of, 272
- Uterine lacerations, and postpartum hemorrhage, 286
- Uterine myomas, diagnosis of, 543
 myomectomy for. See *Myomectomy*.
- Uterine packing, for postpartum hemorrhage, 292–295
- Uterine pathology, and acute abdominal pain, in pregnancy. See *Acute abdominal pain*.
- Uterine scarring, from previous cesarean delivery, and postpartum hemorrhage, 286
- Uterine smooth muscle tumors, 637–657.
 See also *Uterine fibroids*.
 benign metastasizing leiomyomas, 653–654
 classification system for, 637–638
 GnRH analogues for, 651
 intravenous leiomyomatosis, 652–653
 leiomyomas, 638–646
 bizarre, 644–645
 cellular, 643–644
 epithelioid, 645–646
 mitotically active, 642–643
 plexiform tumorlets, 646
 leiomyosarcomas, 646–649
 of uncertain malignant potential, 651
 peritoneal leiomyomatosis, 653
- Uterotonic agents, for uterine inversion, 271–272
- Uterus, inversion of, and hemorrhage, in pregnancy, 7–8
 perforation of, after hysteroscopic endometrial ablation, for menorrhagia, 567
 as contraindication to hysteroscopy, 447
 hysteroscopy and, 450
 septate, metroplasty for. See *Metroplasty*.
- Vaginal hematomas. See *Puerperal hematomas*.
- Vaginal side wall tears, and hemorrhage, in pregnancy, 7
- Varicella pneumonia, in pregnancy, 49
- Vasculitis syndromes, and joint extremity pain, in pregnancy, 183–184
- Vasoactive agents, for hypotension, related to sepsis, in pregnancy, 105
- Ventilation/perfusion scans, of pulmonary emboli, in pregnancy, 52
- Ventricular tachycardia, in pregnancy, 29–30
- Vertex-nonvertex presentation, in multiple gestation, 239–241
- Vertex-vertex presentation, in multiple gestation, 239, 240
- Video monitors, in office hysteroscopy, 462–463
- Video recorders, in hysteroscopy, 611–612
- Videophotography, in hysteroscopy, 606–609
- Viewing systems, in hysteroscopy, 395–396
- Viral arthritis, and joint extremity pain, in pregnancy, 185
- Vital stains, in hysteroscopy, future of, 617–618
- Vulvar hematomas. See *Puerperal hematomas*.
- Wide-complex tachycardia, in pregnancy, 28
- Woods screw maneuver, for shoulder dystocia, 253
- Zavanelli maneuver, for shoulder dystocia, 254–255